

### **DETAILED ACTION**

1. Claims 1-16 and 18-22 and 25 are pending in this application. Claims 1-16 and 18-22 and 25 are amended as filed on 2 September 2008. Claim 17 is canceled as filed on 2 September 2008.

### ***Claim Objections***

2. Claim 14 is objected to because of the following informalities: Claim 14 recites: "the additional information data" (pg 5, lines 1-2). There is lack of antecedent basis for "the additional information data" in this claim. For the purposes of examination, "the additional information data" will be treated as referring to "the updated additional information data" from line 12 (including claim limitations that have been lined through) in claim 14.

3. Claim 19 is objected to because of the following informalities:

-Claim 19 recites: "said updated additional information data" (Claim 19, lines 6-7, including lines which have been lined through). There is lack of antecedent basis for "said updated additional information data" in this claim.

-Claim 19 ends with the word: "and", this is a conjunction and should not be the end of a sentence.

Art Unit: 2451

4. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

In the claim amendment filed on 3/18/2005 Claim 23 is labeled as: “(Currently Amended)”, however the previous version of Claim 23 (from the original listing of Claims, also received on 3/18/2005) does not correspond to the amended version.

Below are versions of claims referred to:

Original claim 23: “23. Mobile terminal device according to anyone of claims 19 to 22, further comprising a television module being connected to said controller”.

Original claim 25: “25. System for providing broadcast data comprising a broadcast station for sending a broadcast and for providing additional information data related to the contents of said broadcast; a network server for receiving said additional information data, said additional information data to be supplied to at least one mobile terminal device, said network server comprising:

- a network module for receiving said additional information data from said broadcast station,
  - a database for storing indications of said at least one mobile terminal devices to be updated with said additional information data,
  - a controller being connected to said network module, for processing said additional information data, and being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal device to be supplied with said additional information data, and
  - a wireless network module connected to said controller for updating said additional information data to said determined mobile terminal devices, and
- a mobile terminal device capable of displaying said additional information data, comprising:
- a radio module for receiving said broadcast,

Art Unit: 2451

- a wireless network module for receiving said additional information data,
- a controller for processing said received additional information data, said controller being connected to said wireless network module,
- a memory connected to said controller for storing said processed additional information data, and
- a display module connected to said controller for displaying said processed additional information data”.

Amended Claim 23, as filed 3/18/2005: “23. (Currently Amended) System for providing broadcast data comprising a broadcast station for sending a radio broadcast and for providing update additional information data related to the contents of ~~said~~ a current radio broadcast;

a network server for receiving said update additional information data, wherein said update additional information data is to be supplied to at least one mobile terminal device, said network server comprising:

[-] a network module for receiving said update additional information data of said current radio broadcast from said broadcast station via a network connection between said server and said radio station,

[-] a database for storing indications of said at least one mobile terminal ~~devices~~ device to be updated with said update additional information data,

[-] a controller for being connected to said network module, for processing said update additional information data, and for being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal device to be supplied with said update additional information data of said current radio broadcast, and

[-] a wireless network module connected to said controller for updating said update additional information data to said determined mobile terminal ~~devices~~ device, and

a mobile terminal device capable of displaying said update additional information data of said current radio broadcast, comprising:

[-] a radio module for receiving said current radio broadcast,

[-] a wireless network module for receiving said update additional information data of said current radio broadcast,

[-] a controller for processing said received update additional information data of said current radio broadcast, said controller being connected to said wireless network module,

[-] a memory connected to said controller for storing said processed update additional information data of said current radio broadcast, and

[-] a display module connected to said controller for displaying said processed update additional information data of said current radio broadcast”.

It appears original claims 23 and 24 have been cancelled, and original claim 25 has been renumbered claim 23 in the amendment filed 3/18/2005. In this office action, when referring to the listing of claims received 9/2/2008, the claim labeled 23 will be referred to as its original number, 25. Original claims 23 and 24 will be treated as cancelled.

***Claim Rejections - 35 USC § 102***

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

**6. Claims 1, 3-16, 19-20 and 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Mackintosh et al. (US 6,349,329 B1).**

7. With respect to Claim 1, Mackintosh disclosed: “A method comprising:  
receiving at a server updated additional information data of a current radio broadcast from at least one broadcast station (Col. 5, lines 36-38), sent via a network connection between said server and said at least one broadcast station (Col. 5, lines

Art Unit: 2451

41-43, where data is sent from the provider to the server and therefore is sent over a network connection),

determining at least one mobile terminal device to be supplied with said updated additional information data of said current radio broadcast (Col. 5, lines 50-58, where data server provides supplemental materials to user equipment, and therefore must determine user equipment to send the supplemental materials to) via a wireless communication network (Col. 24, line 61 – Col. 25, line 4, where communication channel can be implemented using a wireless medium), and

updating additional information data of said current radio broadcast at said at least one determined mobile terminal device by updating in a presence list at said at least one determined mobile terminal device, a presence attribute corresponding to said broadcast station, with said updated additional information data (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations, or presence list, and the list includes identifying information, or presence attribute corresponding to said broadcast station)”.

8. With respect to Claim 3, Mackintosh disclosed: “The method according to claim 1, wherein said updated additional information data of said current radio broadcast from said at least one broadcast station is received from at least one second server connected to said at least one broadcast station (Col. 6, lines 3-7, where supplemental information can be stored across multiple servers, and Fig 5, where the servers are connected via the internet to each other and to broadcast station 205)”.

9. With respect to Claim 4, Mackintosh disclosed: “The method according to claim 1, wherein said broadcast station comprises one of said servers, wherein said update additional information data is received from a component within said broadcast station (Col. 7, lines 45-53, where the broadcast station is also responsible for providing the supplemental information)”.

10. With respect to Claim 5, Mackintosh disclosed: “The method according to claim 1, further comprising determining whether said updated additional information data of said current radio broadcast received from said broadcast station has changed, and updating said updated additional information data only, if said updated additional information data has changed (Col. 5, line 59-Col. 6, line 2, where the supplemental information is specific to the item being broadcast, such as a current song being played, or an advertising spot being played, and the data server retrieves supplemental information pertaining to the specific item of programming being broadcast. If the broadcast item changes from a song to advertising the supplemental information will change, and Col. 5, line 50-54 where the supplemental information is provided in coordination with the broadcast material)”.

11. With respect to Claim 6, Mackintosh disclosed: “The method according to claim 1, further comprising: receiving a transmission from a mobile terminal device indicating that said mobile terminal device is to be supplied with said updated additional

Art Unit: 2451

information data (Col. 6, lines 14-17, where user equipment accesses a server to retrieve supplemental materials), determining said mobile terminal device is to be supplied with said updated additional information data (Col. 17, lines 37-39, where the user's terminal must be on and active during a broadcast to have data codes provided, therefore the server must determine if the mobile device is on and active or not before sending data), and sending said updated additional information data of said current radio broadcast to said mobile terminal device via said wireless communication network (Col. 7, lines 16-26, where user equipment retrieves supplemental material by accessing server 120, which sends the data since the user equipment is able to play/display/provide to the user the supplemental information)".

12. With respect to Claim 7, Mackintosh disclosed: "The method according to claim 1, further comprising: receiving a transmission indicating that said mobile terminal device is no longer to be updated with said update additional information data (Col. 12, lines 47-50, where tuning or changing stations from the user terminal will inform the data server to no longer provide supplemental data)".

13. With respect to Claim 8, Mackintosh disclosed: "A method comprising:  
receiving in a mobile terminal device (Abstract, lines 6-9), a current radio broadcast from a broadcast station via a wireless broadcast channel (Col. 5, lines 16-18 and 24-27),

Art Unit: 2451

receiving in said mobile terminal device updated additional information data of said current radio broadcast (Abstract, lines 6-9, specifically supplemental information), a server via wireless (Col. 5, lines 50-54) communication network (Col. 24, line 61 – Col. 25, line 4, where communication channel can be implemented using a wireless medium), and

updating additional information data of said current radio broadcast on said mobile terminal device by updating in a presence list at said mobile terminal device, a presence attribute corresponding to said broadcast station, with said updated additional information data (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations, or presence list, and the list includes identifying information, or presence attribute corresponding to said broadcast station)".

14. With respect to Claim 9, Mackintosh disclosed: "The method according to claim 8, further comprising displaying said updated additional information data of said current radio broadcast on said mobile terminal device (Col. 6, lines 54-57, specifically displayed)".

15. With respect to Claim 10, Mackintosh disclosed: "The method according to claim 9, further comprising processing said updated additional information data of said current radio broadcast for display (Col. 7, lines 29-32)".



Art Unit: 2451

16. With respect to Claim 11, Mackintosh disclosed: “The method according to claim 8, further comprising transmitting a message to a server in said wireless (Col. 24, line 61 – Col. 25, line 4, where communication channel can be implemented using a wireless medium) communication network to initiate transmission of said updated additional information data related to the contents of said currently received broadcast (Col. 6, lines 14-17, where accessing a server to retrieve supplemental material involves transmitting a message)”.

17. With respect to Claim 12, Mackintosh disclosed: “The method according to claim 8, further comprising determining a name of said broadcast station transmitting said broadcast (Col. 23, lines 2-4, and Fig 12, object 523, where there must be a way to determine the name of the radio station from which the audio information originates, if the station name is displayed).

18. With respect to Claim 13, Mackintosh disclosed: “The method according to claim 12, further comprising displaying the name of said determined broadcast station and said received updated additional information data of said current radio broadcast together on a display (Fig 12, object 523, station name, and additional information includes objects 518-521).

Art Unit: 2451

19. With respect to Claim 14, Mackintosh disclosed: “A method comprising: transmitting a current radio broadcast from at least one broadcast station to said at least one mobile terminal device (Col. 5, lines 16-17 and lines 24-27), and

transmitting updated additional information data of said current radio broadcast from said at least one broadcast station to a server, via a network connection between said server and said radio station (Col. 5, lines 36-41, where data is sent from the provider to the server and therefore is sent over a network connection),

wherein said server determines at least one mobile terminal device to be supplied with said update additional information data (Col. 5, lines 50-58, where data server provides supplemental materials to user equipment, and therefore must determine user equipment to send the supplemental materials to) and

wherein the additional information data of said current radio broadcast is updated at said at least one mobile terminal device by updating in a presence list at said at least one determined mobile terminal device, a presence attribute corresponding to said broadcast station, with said updated additional information data (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations, or presence list, and the list includes identifying information, or presence attribute corresponding to said broadcast station)”.

20. With respect to Claim 15, Mackintosh disclosed: “A computer readable medium stored with program code which when executed by a mobile terminal, performs the method of claim 8 (Col. 24, lines 11-14)”.

21. With respect to Claim 16, Mackintosh disclosed: “A computer readable storage medium stored with program code, which when executed by a network device performs the method of claim 1 (Col. 24, lines 11-14)”.

22. With respect to Claim 19, Mackintosh disclosed: “A mobile terminal device (Abstract, lines 6-9, specifically user terminal), comprising:

a radio module to receive a current radio broadcast from a broadcast station (Col. 24, lines 10-19, where the invention can be implemented by one or more computer systems 702, and Col. 24, lines 55-58 and Col. 24, lines 61 – Col 25, line 4, where the computer system 702 has a communication interface with signals provided by channel 728, which can include RF link)

a wireless network module configured to receive said updated additional information data of said current radio broadcast (Col. 5, lines 50-54 and Col. 24, lines 61 – Col 25, line 4, where the communication interface has signals provided by channel 728, which can include wireless medium)

a controller configured to process said received updated additional information data of said current radio broadcast (Col. 7, lines 29-32 and Col. 24, lines 19-21, where an example system can include one or more processors), said controller being connected to said wireless network module (Fig 13, where processor 704 is connected to communications interface and channel 728 through a bus)

a memory connected to said controller (Col. 24, lines 30-35, and Fig 13 where processor 704 is connected to memory 708 and secondary memory 710 through a bus) configured to store said processed updated additional information data of said current radio broadcast (Col. 3, lines 49-52) and to store updated presence attributes (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations and the list includes identifying information, or presence attributes corresponding to said broadcast station) corresponding to said broadcast station (Col. 3, lines 49-52), and

a display module connected to said controller configured to display said processed updated additional information data of said current radio broadcast (Col. 6, lines 54-57, where the information is displayed to the user, and Fig 7 which shows an example of the displayed material) and ”.

23. With respect to Claim 20, Mackintosh disclosed: “The mobile terminal device according to claim 19, wherein said radio module is connected to said controller (Fig 13, where the processor is connected through a bus, to communication interface and communication channel, which refereeing to Col 24, line 66 - Col 25, line 3 can include an RF link), and wherein said radio module is connected to said wireless network module to transfer data from said radio module to said wireless network module (Col. 24, lines 61-67, and Col. 25, line 1, where data transferred via communications interface can be electromagnetic, and further where this data is provided to communications interface by communications channel which can be implemented using a wireless medium)”.

24. With respect to Claim 22, Mackintosh disclosed: "The mobile terminal device according to claim 19, further comprising a cellular telephone module being connected to said controller (Col. 24, line 61 – Col 25, line 4, where the communications interface is provided with signals from the communication channel, which can include a cellular phone link, and Fig 13, where processor is connected, through a bus, to communication interface and communication channel)".

***Claim Rejections - 35 USC § 103***

25. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 2, 18, 21 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mackintosh in view of Linuma et al. (US 6,230,325 B1).**

26. With respect to Claim 2, Mackintosh disclosed: "The method according to claim 1, wherein said server uses a presence for determining said at least one mobile terminal device to be updated with said update additional information data of said current radio broadcast (Col. 17, lines 37-39, where the user's terminal must be on and active during a broadcast to have data codes provided)".

Art Unit: 2451

Mackintosh did not explicitly state: "wherein said server uses a presence database".

However, linuma disclosed: "wherein said server uses a presence database (Col. 10, lines 18-22, where a user ID and password are verified to determine whether or not they are registered in advance, indicating that there is a database of user IDs and corresponding passwords at the database center)"

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the broadcast system of Mackintosh with the teachings of linuma to include support for a server using a presence database. Motivation to combine these references comes from using a user ID and password to register users in advance as to limit the overall number users and/or to verify the identity of a user to prevent fraudulent access.

27. With respect to Claim 18, Mackintosh disclosed: "A network server (Col. 5, lines 36-41, specifically data server) comprising:

a network module configured to receive updated additional information data from a broadcast station via a network connection between said server and said radio station (Col. 5, lines 36-41, and Fig 5, where the internet connects the server and broadcaster, therefore to function the server must have a network module to communicate with the network)",

"a controller being connected to said network module (Col. 24, lines 11-20, where the invention may be implemented using one or more computer systems, and a computer system has a processor, and Col. 24, lines 55-58, where computer system

Art Unit: 2451

includes a communications interface and Fig 13, where the processor is connected to the communications interface via a bus), configured for processing updated additional information data (Col. 5, lines 50-54, where data from the provider is used to retrieve supplemental information)", and

"a wireless network module connected to said controller (Col. 24, line 61 – Col 25. line 4, where the communications interface is provided signals by the communication channel, which can be implemented using a wireless medium) configured for updating additional information data at said determined mobile terminal device by updating in a presence list at said mobile terminal device, a presence attribute corresponding to said broadcast station, with said updated additional information data (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations, or presence list, and the list includes identifying information, or presence attribute corresponding to said broadcast station)".

Mackintosh did not explicitly state: "a database configured for storing indications of at least one mobile terminal device to be updated with said updated additional information data", or "a controller being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal device to be supplied with said updated additional information data".

However, linuma disclosed: "a database configured for storing indications of at least one mobile terminal device to be updated with said updated additional information data (Col. 10, lines 18-27, where user ID and password are registered in advance, and

Art Unit: 2451

verified by the database computer system, or server, before supplemental data is sent, therefore this user ID and password registered in advance indicates at least one mobile terminal to be updated with supplemental information)", and "a controller being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal device to be supplied with said updated additional information data (Col. 10, lines 18-27 and Col. 10, lines 46-47, where the sub computer acts as a gateway processor, and is a controller connected to a database of user IDs and passwords because the sub computer verifies that these user IDs and passwords were registered in advance)".

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the broadcast system of Mackintosh with the teachings of linuma to include support for a server using a database to store indications of at least one mobile device to be supplied with supplemental information. Motivation to combine these references comes from using a user ID and password to register users in advance as to limit the overall number users and/or to verify the identity of a user to prevent fraudulent access.

28. With respect to Claim 21, Mackintosh did not explicitly state: "The mobile terminal device according to claim 19, wherein said radio module comprises a radio data system module configured for determining said broadcast station".

However, linuma disclosed "wherein said radio module comprises a radio data system module (Col. 13, line 67 – Col. 14, line 7, where the RDS may be used to



Art Unit: 2451

multiplex data to be transmitted with FM radio broadcasting) configured for determining said broadcast station (Col. 13, line 67 – Col. 14, line 7, where the RDS may be used to multiplex data to be transmitted with FM radio broadcasting, and where RDS includes support for the client device to display a station name, as shown by “Using the Radio Data System”, August 19 2000, 1) Station name, lines 1-4)”

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the broadcast system of Mackintosh with the teachings of linum to include support for RDS. Motivation to combine these comes from linuma, who disclosed: “RDS being one way to multiplex data to be transmitted with FM radio broadcasting” (Col. 13, line 67—Col. 14, line 3). Therefore by combining the references one can multiplex data with FM broadcasting to provide additional data such as station name to client devices.

29. With respect to Claim 25, Mackintosh disclosed: “A system comprising:

a broadcast station configured for sending a current radio broadcast (Col. 5, lines 13-15) and for providing updated additional information data related to contents of said current radio broadcast (Col. 5, lines 36-41);

a network server configured for receiving said updated additional information data (Col. 5, lines 36-41), wherein said updated additional information data is to be supplied to at least one mobile terminal device (Col. 5, lines 50-58), said network server comprising:

a network module configured for receiving said updated additional information data of said current radio broadcast from said broadcast station via a network connection between said network server and said radio station (Col. 5, lines 36-41)",

"a first controller configured for being connected to said network module (Col. 24, lines 11-20, where the invention may be implemented using one or more computer systems, and a computer system has a processor, and Col. 24, lines 55-58, where computer system includes a communications interface and Fig 13, where the processor is connected to the communications interface via a bus), for processing said updated additional information data (Col. 5, lines 36-41, where data from the provider is used to supply supplemental information)", and

"a first wireless network module connected to said controller (Col. 24, line 61 – Col 25. line 4, where the communications interface is provided signals by the communication channel, which can be implemented using a wireless medium) configured for updating said updated additional information data to said determined mobile terminal device by updating in a presence list at said mobile terminal device, a presence attribute corresponding to said broadcast station, with said updated additional information data (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations, or presence list, and the list includes identifying information, or presence attribute corresponding to said broadcast station), and

a mobile terminal device capable of displaying said updated additional information data of said current radio broadcast (Col. 6, lines 54-57), comprising:

Art Unit: 2451

a radio module configured for receiving said current radio broadcast (Col. 24, lines 10-19, where the invention can be implemented by one or more computer systems 702, and Col. 24, lines 55-58 and Col. 24, lines 61 – Col 25, line 4, where the computer system 702 has a communication interface with signals provided by channel 728, which can include RF link),

a second wireless network module configured for receiving, from the network server, said updated additional information data of said current radio broadcast (Col. 5, lines 50-58 and Col. 24, line 61 – Col. 25, line 4 where communication can occur wirelessly),

a second controller configured for processing said received updated additional information data of said current radio broadcast (Col. 7, lines 29-32 and Col. 24, lines 19-21, where an example system can include one or more processors), said controller being connected to said second wireless network module configured for receiving said updated additional information of said current radio broadcast (Fig 13, where processor 704 is connected to communications interface and channel 728 through a bus),

a memory connected to said second controller (Col. 24, lines 30-35, and Fig 13 where processor 704 is connected to memory 708 and secondary memory 710 through a bus) and configured for storing said processed updated additional information data of said current radio broadcast (Col. 3, lines 49-52) and to store updated presence attributes (Col. 18, lines 54-61, where clicking the Station list button brings up a list of stations and the list includes identifying information, or presence attributes

Art Unit: 2451

corresponding to said broadcast station) corresponding to said broadcast station (Col. 3, lines 49-52), and

a display module connected to said second controller and configured for displaying said processed updated additional information data of said current radio broadcast (Col. 6, lines 54-57, where the information is displayed to the user, and Fig 7 which shows an example of the displayed material)".

Mackintosh did not explicitly state: "a database configured for storing indications of said at least one mobile terminal device to be updated with said updated additional information data", or "a controller for being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal device to be supplied with said updated additional information data of said current radio broadcast".

However, linuma disclosed: "a database configured for storing indications of said at least one mobile terminal device to be updated with said updated additional information data (Col. 10, lines 18-27, where user ID and password are registered in advance, and verified by the database computer system, or server, before supplemental data is sent, therefore this user ID and password registered in advance indicates at least one mobile terminal to be updated with supplemental information)", and

"a controller for being connected to said database for receiving said indications of said at least one mobile terminal device and for determining at least one mobile terminal

Art Unit: 2451

device to be supplied with said updated additional information data of said current radio broadcast (Col. 10, lines 18-27 and Col. 10, lines 46-47, where the sub computer acts as a gateway processor, and is a controller connected to a database of user IDs and passwords because the sub computer verifies that these user IDs and passwords were registered in advance)”).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the broadcast system of Mackintosh with the teachings of linuma to include support for a server using a database to store indications of at least one mobile device to be supplied with supplemental information. Motivation to combine these references comes from using a user ID and password to register users in advance as to limit the overall number users and/or to verify the identity of a user to prevent fraudulent access.

### ***Response to Arguments***

30. Applicant's arguments, see pg 9, Claim Objections, filed 2 September 2008, with respect to objection of claims 1 and 8 have been fully considered and are persuasive. The objection of claims 1 and 8 has been withdrawn.

31. Applicant's arguments filed, 2 September 2008, have been fully considered but they are not persuasive. Applicant argues on pg 9, Claim Objections, that claim 23, as

Art Unit: 2451

filed 2 September 2008, is correctly numbered. Examiner respectfully disagrees, see objection above.

32. Applicant's arguments with respect to independent claims 1, 8, 14, 18, 19 and 25 have been considered but are moot in view of the new ground(s) of rejection. Accordingly dependent claims 3-7, 9-13, 15-16 and 20-22 are not in allowable form based on their dependence on their respective independent claims.

### ***Conclusion***

33. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2451

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MATTHEW S. LINDSEY whose telephone number is (571)270-3811. The examiner can normally be reached on Mon-Thurs 7-5, Fridays 7-12.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Follansbee can be reached on (571) 272-3964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MSL

10/24/2008

/John Follansbee/ SPE 2451